



VAUTH-SAGEL

**MacMURRAY
PACIFIC**



Retail List Prices

KITCHEN CABINET STORAGE SYSTEMS



Contents

HSA Pull-Out Pantry	3
DSA Base Unit Slide Pull-Out	4
VSA Swing-Out Storage Unit	5
Twin Corner / Blind Corner Swing-Out	6
Slide Corner Pull-Out	7
Wari Corner / Blind Corner Swing-Out	8
Flex Corner	9
Recorner Maxx / Floating Susans	10
OKO XXLiner Waste Bin System	11



HSA PANTRY PULL-OUT

Made in Germany




Chrome Plated Baskets



Maple Melamine base,
silver powder coated baskets

Full Depth: 22-3/4"
High Capacity: 23% more storage




- 12 Minute Install
- Baskets Adjust in 2-1/2" steps
- Synchro-action : 265 lbs.
- Five widths : 9" - 20"
- Any height 26" - 84"

Every Inch: 26" - 84" high

Soft-Close Pantry

Door Adjustment for
Height, Side, Warp and Tilt



Many Solutions Possible: every inch from 26" to 84" high

Specify Width and Basket type when ordering:
'C' for Chrome baskets or **'M'** for Maple baskets
Example: 9076-11C.

Complete Sets	# of Bskts	Frame Ht	8-7/8" W		11-5/8" W		14-3/8" W		17-1/8" W		19-7/8" W	
			Chr	Maple	Chr	Maple	Chr	Maple	Chr	Maple	Chr	Maple
9037-XX C / M	2	25-1/2" to 37"	\$ 712	\$ 794	\$ 722	\$ 808	\$ 732	\$ 834	\$ 742	\$ 860	\$ 750	\$ 874
9047-XX C / M	4	37-1/2" to 47-1/4"	694	860	714	886	734	936	752	988	768	1014
9057-XX C / M	4	47-1/4" to 57"	696	862	726	888	736	940	754	990	770	1016
9067-XX C / M	4	57" to 67"	718	884	736	910	760	962	776	1014	794	1040
9076-XX C / M	6	67" to 76-3/4"	844	1094	874	1132	906	1210	930	1288	956	1326
9091-XX C / M	6	74-3/4" to 84-1/2"	852	1098	882	1140	912	1218	938	1294	962	1330




DSA BASE UNIT SIDE PULL-OUT

Made in Germany



- Cabinet opening: 4-1/2" (112mm), 6" (152mm), 7-1/2" (192mm), 10-1/8" (257mm)
- Minimum installation depth: 22-1/2"
- Storage version for 90°
- Storage units for towels and baking trays
- Individual height adjustment for baskets
- 3-D front adjustment allows simple, convenient front adjustment
- Non-handed
- Integral self-closing / soft closing
- Max load bearing 45 lbs.
- Stocking Saphir chrome baskets




3-3/8" Saphir basket for
min cab opening width of 4-1/2"




9" Saphir basket for min cab
opening width of 10-1/8"

Cabinet dimensions



Basket dimensions



Order Frame and 3 basket set separately.

<u>Code</u>	<u>Description</u>	<u>Cab opening</u>	<u>List/ea.</u>
90003259	DSA 3A Frame / 26-1/2" Height for 3 Baskets		\$ 220
90002570	Set of 3 baskets / 3-3/8" Width	4-1/2"	\$ 166
90002572	Set of 3 baskets / 5" Width	6"	182
90002574	Set of 3 baskets / 6-1/2" Width	7-1/2"	210
90002576	Set of 3 baskets / 9" Width	10-1/8"	236

Retail List Prices




VSA SWING-OUT STORAGE - Soft Close
Made in Germany

Baskets glide out as door is opened. One easy motion brings stored goods into reach. Storage with easy access.

- Basket Width: 19-11/16"
- Cabinet Width: 23-5/8"
- Min. Installation Depth: 18-15/16"
- Tool-free installation of frame onto lower runners
- Tool-free attachment of carriers to mounting frame
- Height adjustment for individual baskets
- 33 lb. load cap per basket
- 4 or 5 Chrome baskets
- Soft Close

Saphir basket



For a complete set, you will need:

- 1 Frame (choice of 2 heights)
- 1 Top & Bottom runner
- 1 Carrier
- 1 (4 or 5) Basket Sets

Code	Description	List/ea.
90005457	VSA-4 Frame / 57-1/8" - 67-1/8"	\$ 142
90005459	VSA-6 Frame / 74-7/8" - 84-1/4"	152
90005451	Top & Bottom runner	232
90005607	Carrier	34
90005471	Basket (order 4-5)	78

Swing-Out Pantry






CORNER SYSTEM : TWIN CORNER

Load Capacity: 100 lbs. Made in Germany.




- One smooth motion puts all items to be retrieved right at your fingertips
- Both shelves turn and swing simultaneously out of the cabinet
- Stylish silver powder coated wire, maple bottom
- For Frameless or Face Frame Cabinets
- Load Cap: 90 lbs. (45 lbs per shelf)
- Minimum installation depth: 19-3/8"
- Minimum installation height: 19-11/16"




Pack: 1 set per box consisting of 2 shelves, twin mechanism and instructions.

Faceframe



Frameless



Twin corner	1	2	3
Width	39" (991 mm)	45" (1143 mm)	51" (1295 mm)
Min Depth	19-7/8" (485 mm)	19-1/8" (485 mm)	19-1/2" (490 mm)
Min. Opening	15-3/4" (400 mm)	17-1/2" (440 mm)	21-1/2" (540 mm)

Twin corner	1	2	3
Width	36" (914 mm)	42" (1067 mm)	48" (1219 mm)
Min. Depth	19-7/8" (504 mm)	19-7/8" (504 mm)	20" (509 mm)
Min. Opening	16-1/4" (411 mm)	18-1/2" (461 mm)	22" (561 mm)

Code	Hand	Cab Width:		Min. Opening		List
		Frameless	FaceFrame	Frameless	Faceframe	
90002409	LH	36"	39"	16.18"	15.75"	\$ 670
90002410	RH	36"	39"	16.18"	15.75"	670
90002411	LH	42"	45"	18.50"	17.32"	680
90002412	RH	42"	45"	18.50"	17.32"	680
90002517	LH	48"	51"	22.09"	21.26"	730
90002518	RH	48"	51"	22.09"	21.26"	730




CORNER UNIT : SLIDE CORNER

Made in Germany




- The trays turn and slide independently out of the cabinet
- The upper shelf can be placed at height 12-1/2" to 16-1/2"
- Inside height min 19-3/4"
- Load cap per shelf: 33 lbs.
- Specify left or right hand use
- Three sizes available
- Maple Tray, Silver powder coated rail




Item No. Left	Item No. Right	Size
9000 3283	9000 3284	1
9000 2991	9000 2992	2
9000 3281	9000 3282	3

Faceframe



Slide corner	1	2	3
Width	39" (991 mm)	42" (1067 mm)	45" (1143 mm)
Min Depth	19-7/8" (504 mm)	22-3/8" (569 mm)	22-3/8" (569 mm)
Min. Opening	15" (381 mm)	18" (457 mm)	21" (533 mm)

Frameless



Slide corner	1	2	3
Width	36" (914 mm)	42" (1067 mm)	48" (1219 mm)
Min. Depth	19-1/4" (490 mm)	21-5/8" (550 mm)	21-5/8" (550 mm)
Min. Opening	16-1/2" (419 mm)	19-1/2" (495 mm)	22-1/2" (572 mm)




Code	Description	List
90003283	LH Slide Corner, 39" Width	\$ 672
90003284	RH Slide Corner, 39" Width	672
90002991	LH Slide Corner, 42" Width	684
90002992	RH Slide Corner, 42" Width	684
90003281	LH Slide Corner, 45" Width	766
90003282	RH Slide Corner, 45" Width	766




BLIND CORNER SOFT-CLOSE PULL OUT

Made In Germany

Wari corner®



Left Hand Installation shown.




Front baskets swing sideways for free access to rear baskets. Silent and Smooth soft-close action.

- Smooth soft close system
- Easy assembly of door fronts with central height adjustment
- Independent width door mount bracket
- Height adjustable top baskets
- Tool-less door attachment
- Min installation depth: 19-1/8"
- Min installation height: 21-3/8"
- Load capacity: Door basket - 17 lbs.
Cabinet basket - 20 lbs.
- Saphir Chrome Finish

Code	Cab Width A	Door Opening B
90004164	31-1/2"	14-1/2" - 16-1/2"
90004165	31-1/2"	14-1/2" - 16-1/2"
90003890	35-1/2"	16-1/8" - 22-3/8"
90003891	35-1/2"	16-1/8" - 22-3/8"

Cabinet Dimensions



Packing: 1 set/box,
Includes all parts, 4 baskets and instructions

Code	Hand	Door Width	List
90004164	RH	15-3/4" - 17-3/4"	\$ 810
90004165	LH	15-3/4" - 17-3/4"	810
90003890	RH	17-3/4" - 23-1/2"	850
90003891	LH	17-3/4" - 23-1/2"	850

Retail List Prices



CORNER SYSTEM: FLEX CORNER UNIT
Made In Germany



Flex Corner with Chrome baskets

Flex corner maximizes space in corner cabinets while allowing full accessibility to the entire unit. This non-handed corner unit is easily installed to the bottom of the cabinet. Blind spaces in corner cabinets are turned into functional and reliable storage space.

- Bottom mounted installation only
- Non-handed
- Installation in Face Frame or Euro Style cabinet possible
- Upper baskets height adjustable
- Load cap: 21 lbs. per basket
- Saphir/Chrome baskets



Size	Min. Inside Width	Min. Opening	Min. Depth
1	27-1/4"	15"	20"
2	31-5/8"	17-1/2"	20"
3	34-1/2"	20-1/2"	20"

Min. Installation Height: 20-1/2"

Order 1 frame and 1 basket set. Basket set consists of 2 front baskets and 2 rear baskets.

Frame	Description	List
90006112	Min. opening 15" (size 1)	\$ 295
90006113	Min. opening 17-1/2" (size 2) or Min. opening 20-1/2" (size 3)	295

Saphir Chrome Basket sets

90006117	Front: 11" W x 16-1/3" D Rear: 11" W x 19-2/3" D	181
90006255	Front: 13-3/4" W x 16-1/3" D Rear: 12-3/4" W x 19-2/3" D	195
90006256	Front: 13-3/4" W x 16-3/8" D Rear: 15-3/4" W x 19-2/3" D	211

Height of basket railing: 2-3/4"

Cabinet Dimensions






RECORNER MAXX
Made in Germany



The Recorner Maxx "floating shelf" stands out with its clear storage: no center pole or divider. This creates up to 20% more storage space in the middle of the shelf.

The shelves are supported by a traverse that runs through the cabinet. Visually open space - the mechanics are practically invisible.

Kidney shaped Floating Susans



Adjustable Shelf Height



- Minimum installation height: 24-3/8"
- EasyFit: tool-free installation of shelves onto the supporting arms
- Flexible base positioning irrespective of cabinet height
- Can be retrofitted into existing cabinets
- Max load bearing: 62 lbs per shelf
- Maple shelf, Silver rail

Pack: 1 set consists of 2 Trays, 2 support arms, 2 wall brackets and mounting instructions.

Code	Size	A	B	C	List
90004098	30" Dia.	35-1/2"	21-1/4" - 24"	19-1/4"	\$ 652



OKO XXLINER WASTE BIN SYSTEM Soft-Close
Made in Germany



The space saving Oko XXLiner is self- and soft-close, and side mounts into a compact base cabinet.



Provides high capacity slide-out waste disposal close to the worktop. Powder coated lid pulls out for added convenient storage.

- Cabinet width: 17-3/4"
- Installation depth: min. 20-5/16"
- Installation height: min. 22-7/8"
- Integral 3-D front adjustment, soft-closing and self-closing. Slide is smooth rack & pinion design
- Metal frame is silver powder coat finish
- Additional storage available using powder-coated roll-out lid
- Max capacity: 74 Qts. (2 bins, 37 Qts. each)

OKO XXLiner System

Cabinet Dimensions

Product Dimensions



Code
90005908

Description
Oko XXLiner
Waste Bin System

List/ea
\$ 390.67



VAUTH-SAGEL

**MACMURRAY
PACIFIC**



You Tube See videos MacMurrayPacific.com

Vauth-Sagel app: More information and product details



The Vauth-Sagel app provides dealers, cabinet makers, joiners and installers all the information they need on every aspect of the Vauth-Sagel products.

VAUTH-SAGEL | support@vauth-sagel-usa.com | www.vauth-sagel-usa.com

copyright © 1/2016